


Education Stools E-KG141

PRODUCT	DIMENSIONS	E-KG141	
	Seat diameter Seat height	390 mm 410-540 mm	


TECHNICAL DESCRIPTION

Seat	Structure in polyethylene anatomically shaped, 40 mm thickness, with integrated reinforcement ribs. Colours: Throna colour chart
Mechanism	GS: GAS LIFT, seat height adjustable.
Lift action	Central piston (Ø 28 mm) protected by steel tube (Ø 50 mm), black finish. Class 4 according to DIN 4550.
Base	0902P: 5-star base (Ø 600 mm) in nylon and fiberglass compound with internal reinforcement ribs, steel ring embedded in the conical coupling. Black finish. According to ANSI/BIFMA X5.1 and UNI EN 1335-3.
Castors	0302: hard castors (Ø 50 mm) in black nylon, self-braking.

ACCESSORIES

M-0311	Soft castors (Ø 50 mm) in black nylon with non-marking polyurethane ring, self-braking. Instead of 0302 castors.
M-0351	Glides in black nylon (h 55 mm / Ø 50 mm). Instead of castors.
0902C	5-star base (Ø 600 mm) in die-cast aluminum with internal reinforcement ribs. Polished finish.

Education Stools E-KG143HS / E-KG144HS

PRODUCT	DIMENSIONS	E-KG143HS	E-KG144HS
	Seat diameter Seat height	390 mm 490-690 mm	390 mm 590-840 mm


TECHNICAL DESCRIPTION

Seat	Structure in polyethylene anatomically shaped, 40 mm thickness, with integrated reinforcement ribs. Colours: Throna colour chart
Mechanism	GS: GAS LIFT, seat height adjustable.
Lift action	Central piston (Ø 28 mm) protected by steel tube (Ø 50 mm), black finish. Class 4 according to DIN 4550.
Base	0902P: 5-star base (Ø 600 mm) in nylon and fiberglass compound with internal reinforcement ribs, steel ring embedded in the conical coupling. Black finish. According to ANSI/BIFMA X5.1 and UNI EN 1335-3.
Glides	0351: glides in black nylon (h 55 mm / Ø 50 mm).

ACCESSORIES

M-0311	Soft castors (Ø 50 mm) in black nylon with non-marking polyurethane ring, self-braking. Instead of glides.
M-0302	Hard castors (Ø 50 mm) in black nylon, self-braking. Instead of glides.
0700	Circular footrest (Ø 460 mm), chromed steel ring, supports in black painted steel, height adjustable with a knob.
0902C	5-star base (Ø 600 mm) in die-cast aluminum with internal reinforcement ribs. Polished finish.


Education Stools E-KGT141

PRODUCT	DIMENSIONS	E-KGT141	
	Seat diameter Seat height	390 mm 420-550 mm	


TECHNICAL DESCRIPTION

Seat	Internal structure in polyethylene anatomically shaped, with integrated reinforcement ribs.
Padding	PU-Flex, 20 mm thickness and 40 g/L density. Self-extinguishing material according to UNI 9175, recyclable and without CFC/HCFC.
Upholstery	<p>MIRAGE Composition: 100% polyester FR Weight: 460 g/lmt Abrasion: UNI EN ISO 12947 (> 100.000 Martindale cycles) Colour fastness to light: UNI EN ISO 105-B02 Xenotest (Level 5-6) Flammability: IT - Class 1, EN 1021-1+2, DIN 4102 (B1), BS 5852 Crib 5, ÖNORM B3825 (B1), ÖNORM 3800-1 (Q1), FR - M1, NF D 60-013 (AM18), California TB 117 Colours: Throna colour chart</p> <p>PLANET Composition: 87,5% PVC, 12,5% cotton Weight: 640 g/m² Abrasion: ISO 5470-2 (>100.000 Martindale cycles) Colour fastness to rubbing: ISO 105-X12 (Dry/Wet 4-5) Colour fastness to light: UNI EN ISO 105-B02 Xenotest (Level 6-7) Flammability: UNI 9175 (Class 1IM), EN 1021-1, BS 5852-1 Crib 5, California TB 117 Colours: Black 114</p>
Mechanism	GS: GAS LIFT, seat height adjustable.
Lift action	Central piston (Ø 28 mm) protected by steel tube (Ø 50 mm), black finish. Class 4 according to DIN 4550.
Base	0902P: 5-star base (Ø 600 mm) in nylon and fiberglass compound with internal reinforcement ribs, steel ring embedded in the conical coupling. Black finish. According to ANSI/BIFMA X5.1 and UNI EN 1335-3.
Castors	0302: hard castors (Ø 50 mm) in black nylon, self-braking.
ACCESSORIES	
M-0311	Soft castors (Ø 50 mm) in black nylon with non-marking polyurethane ring, self-braking. Instead of 0302 castors.
M-0351	Glides in black nylon (h 55 mm / Ø 50 mm). Instead of castors.
0902C	5-star base (Ø 600 mm) in die-cast aluminum with internal reinforcement ribs. Polished finish.
0903COL	5-star base (Ø 700 mm) in die-cast aluminum with internal reinforcement ribs. Varnished with RAL color on demand.

Education Stools E-KGT143H / E-KGT144H

PRODUCT		DIMENSIONS	E-KGT143H	E-KGT144H
		Seat diameter Seat height	390 mm 500-700 mm	390 mm 600-850 mm
TECHNICAL DESCRIPTION				
Seat	Internal structure in polyethylene anatomically shaped, with integrated reinforcement ribs.			
Padding	PU-Flex, 20 mm thickness and 40 g/L density. Self-extinguishing material according to UNI 9175, recyclable and without CFC/HCFC.			
Upholstery	MIRAGE Composition: 100% polyester FR Weight: 460 g/lmt Abrasion: UNI EN ISO 12947 (> 100.000 Martindale cycles) Colour fastness to light: UNI EN ISO 105-B02 Xenotest (Level 5-6) Flammability: IT - Class 1, EN 1021-1+2, DIN 4102 (B1), BS 5852 Crib 5, ÖNORM B3825 (B1), ÖNORM 3800-1 (Q1), FR - M1, NF D 60-013 (AM18), California TB 117 Colours: Throna colour chart PLANET Composition: 87,5% PVC, 12,5% cotton Weight: 640 g/m ² Abrasion: ISO 5470-2 (>100.000 Martindale cycles) Colour fastness to rubbing: ISO 105-X12 (Dry/Wet 4-5) Colour fastness to light: UNI EN ISO 105-B02 Xenotest (Level 6-7) Flammability: UNI 9175 (Class 1IM), EN 1021-1, BS 5852-1 Crib 5, California TB 117 Colours: Black 114			
Mechanism	GS: GAS LIFT, seat height adjustable.			
Lift action	Central piston (Ø 28 mm) protected by steel tube (Ø 50 mm), black finish. Class 4 according to DIN 4550.			
Base	0902P: 5-star base (Ø 600 mm) in nylon and fiberglass compound with internal reinforcement ribs, steel ring embedded in the conical coupling. Black finish. According to ANSI/BIFMA X5.1 and UNI EN 1335-3.			
Glides	0351: glides in black nylon (h 55 mm / Ø 50 mm).			
ACCESSORIES				
M-0311	Soft castors (Ø 50 mm) in black nylon with non-marking polyurethane ring, self-braking. Instead of glides.			
M-0302	Hard castors (Ø 50 mm) in black nylon, self-braking. Instead of glides.			
0700	Circular footrest (Ø 460 mm), chromed steel ring, supports in black painted steel, height adjustable with a knob.			
0701	Circular footrest (Ø 460 mm), chromed steel ring, supports in black painted steel, height adjustable by pressure.			
0902C	5-star base (Ø 600 mm) in die-cast aluminum with internal reinforcement ribs. Polished finish.			

Education Stools E-WG141P

PRODUCT	DIMENSIONS	E-WG141P	
	Seat depth Seat width Seat height	390 mm 390 mm 410-540 mm	


TECHNICAL DESCRIPTION

Seat	Internal structure in multilayered beech wood anatomically shaped, 10 mm thickness. Low formaldehyde emission according to class E1. Covered by a compound of ultra-light integral polyurethane (PU-Touch). Colour Anthracite GRY. Non-toxic material and without CFC/HCFC.
Mechanism	GS: GAS LIFT, seat height adjustable.
Lift action	Central piston (Ø 28 mm) protected by steel tube (Ø 50 mm), black finish. Class 4 according to DIN 4550.
Base	0902P: 5-star base (Ø 600 mm) in nylon and fiberglass compound with internal reinforcement ribs, steel ring embedded in the conical coupling. Black finish. According to ANSI/BIFMA X5.1 and UNI EN 1335-3.
Castors	0302: hard castors (Ø 50 mm) in black nylon, self-braking.

ACCESSORIES

M-0311	Soft castors (Ø 50 mm) in black nylon with non-marking polyurethane ring, self-braking. Instead of 0302 castors.
M-0351	Glides in black nylon (h 55 mm / Ø 50 mm). Instead of castors.
0902C	5-star base (Ø 600 mm) in die-cast aluminum with internal reinforcement ribs. Polished finish.

Education Stools E-WG143HP / E-WG144HP

PRODUCT	DIMENSIONS	E-WG143HP	E-WG144HP
	Seat depth Seat width Seat height	390 mm 390 mm 490-690 mm	390 mm 390 mm 590-840 mm

TECHNICAL DESCRIPTION

Seat	Internal structure in multilayered beech wood anatomically shaped, 10 mm thickness. Low formaldehyde emission according to class E1. Covered by a compound of ultra-light integral polyurethane (PU-Touch). Colour Anthracite GRY. Non-toxic material and without CFC/HCFC.
Mechanism	GS: GAS LIFT, seat height adjustable.
Lift action	Central piston (Ø 28 mm) protected by steel tube (Ø 50 mm), black finish. Class 4 according to DIN 4550.
Base	0902P: 5-star base (Ø 600 mm) in nylon and fiberglass compound with internal reinforcement ribs, steel ring embedded in the conical coupling. Black finish. According to ANSI/BIFMA X5.1 and UNI EN 1335-3.
Glides	0351: glides in black nylon (h 55 mm / Ø 50 mm).

ACCESSORIES

M-0311	Soft castors (Ø 50 mm) in black nylon with non-marking polyurethane ring, self-braking. Instead of glides.
M-0302	Hard castors (Ø 50 mm) in black nylon, self-braking. Instead of glides.
0700	Circular footrest (Ø 460 mm), chromed steel ring, supports in black painted steel, height adjustable with a knob.
0902C	5-star base (Ø 600 mm) in die-cast aluminum with internal reinforcement ribs. Polished finish.