

# AKABA



## *Kabi Armchair Swivel*

Armchair upholstered.

**Structure** 4-star injected aluminium base, fixed height and swivelling.

Shell single piece in 70% polypropylene + 30% fiberglass, 100% recyclable upholstered.

**Foam** cushion with 35 kg/m<sup>3</sup> density and 15mm thickness for fully upholstered shells; foam cushion with 35kg/m<sup>3</sup> density and 10mm thickness for versions with upholstered seat only; glued using eco-friendly waterborne adhesive.

**Arms**, curved plywood arms upholstered.

**Glides** polypropylene.

**Metallic finishes** epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct or chrome finish, composition: 98.4% NI, 1.6% CR, 24.4 micron thickness and UNE EN ISO 2409-96 adhesion, Classification 0.

**Fully upholstered.** See manufacturers' fabric specifications.

---

## ENVIRONMENTAL CERTIFICATES

UNE EN 16139 Resistencia, durabilidad y seguridad. Strength, durability and safety. Résistance, durabilité et sécurité.

ISO 14006 Ecodesign.


EPD (Declaración medioambiental de producto, Environmental product declaration).

 Recyclable up to **76 %**.

---

## MEASURES

### KABI ARMCHAIR SWIVEL



---

## SPECS



**Product weight:**  
8,5 kg



**Packaging Information:**  
680X560X840 mm



**Number of chairs per box:**  
1



**Footage for upholstered versions  
(COM):**  
(for more than 1 unit contact factory)

1,27 ml / 19 feet

---

## ACCESSORIES



Aluminium base / KB  
Powder coated,  
chromed or gloss.



Castors / KB  
Hard or soft castors.

# AKABA

Atallu kalea 14  
20170 Usurbil (Gipuzkoa)  
Spain

akaba@akaba.net  
T +34 943 372 211  
F +34 943 371 052

© AKABA S.A. All rights reserved